

CAVEO®

www.caveo-lock.co.uk

CAVEO®

TS007 3 STAR SNAP SECURE DIMPLE EURO CYLINDER

Introducing the CAVEO Secure range of dual finish euro cylinders featuring a high security dimple mechanism with verification on 2 independent levels and a reversible keyway.

Achieving the highest security standards available, including BSI Kitemarked TS007 3*, Sold Secure Diamond and Secure By Design 'Police Approval'. The CAVEO Secure cylinder is certified to offer the best protection against attack with a strong resistance to bumping, snapping, picking and drilling.

SNAP RESISTANT

The cylinder is supplied complete with a sacrificial cut on the external side. Upon attack it is designed to snap & lock the cam in place using 'CAVEO Secure' technology.

The CAVEO Secure Technology ensures that the internal side of the cylinder will remain operable at all times, even in the event of the external side being compromised.

TEMPERATURE RESISTANT

With BS EN1303:2015 certification, the cylinders have been tested to operate in extreme temperatures.

PICK, BUMP & DRILL RESISTANT

With a uniquely shaped keyway, anti-bump pins as well as anti-drill pins, the cylinders are highly resistant against any form of attack.


BREAK-IN GUARANTEE

We are so confident in the security of the CAVEO Secure cylinders that we supply all 3 Star rated euro cylinders complete with a £2,000 cash back guarantee should entry to the property be confirmed via snapping.

*Please note guarantee must be activated once installed using the key card code provided, the cylinder maintained to the required standards provided in the instructions and only use of genuine CAVEO keys to remain valid.



A brand of Asec Security



FEATURES

- Horizontal & reversible keyway
- Dual finished, nickel plated body with polished brass plug
- High security dimple mechanism
- Sacrificial cut on the external side to protect against snapping
- Supplied complete with 3 keys
- £2,000 Break-In Guarantee*

CAVEO®

VISIT OUR WEBSITE



CERTIFICATION

- BSI Kitemarked, surpassing BSI 3 Star Grade 6
- Achieves and surpasses EN1303:2015
- Achieves and surpasses TS007:2014+A1:2015
- Sold Secure Diamond certified
- Secured by Design – Police preferred specification
- Tested to operate in extreme temperatures
- Classification number 16010C6D

MATERIAL	Hardened Steel & Brass
MECHANISM	High Security Dimple
KEYS SUPPLIED	3
CYLINDER TYPES	4 – Euro Double Euro Key & Turn Euro Half Rim (available early 2024)



KM 758860



A brand of Asec Security

**£2000
BREAK-IN
GUARANTEE**



CAVEO[®]

BREAK-IN GUARANTEE

In the event of a burglary taking place within 5 years from the date of installation, with entry being achieved by snapping the CAVEO Cylinder, we will pay £2,000 to all proven claims.

The claim should be returned to us within 14 days of any burglary taken place.

Activation must be completed within 28 days of installation. All claims must be made via the CAVEO website: www.caveo-lock.co.uk

SAFETY FEATURE

In the event of a Thumbturn Cylinder being attacked, the inside thumbturn will lock in position. To disengage it please pull the thumbturn away from the door and then turn.



A brand of Asec Security


CAVEO[®] PRODUCT LISTING



EURO DOUBLE

CV50002	60MM 30(EXT)/30
CV50003	65MM 30(EXT)/35
CV50005	70MM 30(EXT)/40
CV50004	70MM 35(EXT)/35
CV50323	70MM 40(EXT)/30
CV50008	75MM 30(EXT)/45
CV50006	75MM 35(EXT)/40
CV50338	75MM 40(EXT)/35
CV50017	80MM 35(EXT)/45
CV50007	80MM 40(EXT)/40
CV50324	80MM 45(EXT)/35
CV50010	85MM 35(EXT)/50
CV50009	85MM 40(EXT)/45
CV50325	85MM 45(EXT)/40
CV50326	85MM 50(EXT)/35
CV50013	90MM 35(EXT)/55
CV50012	90MM 40(EXT)/50
CV50011	90MM 45(EXT)/45
CV50327	90MM 50(EXT)/40
CV50339	90MM 55(EXT)/35

CV50014	95MM 40(EXT)/55
CV50015	95MM 45(EXT)/50
CV50328	95MM 50(EXT)/45
CV50329	95MM 55(EXT)/40
CV50016	100MM 40(EXT)/60
CV50019	100MM 45(EXT)/55
CV50018	100MM 50(EXT)/50
CV50330	100MM 55(EXT)/45
CV50332	100MM 60(EXT)/40
CV50020	105MM 45(EXT)/60
CV50351	105MM 60(EXT)/45
CV50021	110MM 45(EXT)/65
CV50331	110MM 55(EXT)/55
CV50022	120MM 75(EXT)/45



EURO KEY & TURN

CV50023	65MM 30(EXT)/35
CV50044	70MM 30(EXT)/40
CV50024	70MM 35(EXT)/35
CV50045	70MM 40(EXT)/35
CV50032	80MM 35(EXT)/45

CV50025	80MM 40(EXT)/40
CV50033	80MM 45(EXT)/35
CV50334	85MM 35(EXT)/50
CV50034	85MM 40(EXT)/45
CV50035	85MM 45(EXT)/40
CV50028	90MM 35(EXT)/55
CV50030	90MM 40(EXT)/50
CV50038	90MM 45(EXT)/45
CV50031	90MM 50(EXT)/40
CV50029	90MM 55(EXT)/35
CV50036	95MM 40(EXT)/55
CV50039	95MM 45(EXT)/50
CV50040	95MM 50(EXT)/45
CV50037	95MM 55(EXT)/40
CV50026	100MM 40(EXT)/60
CV50041	100MM 45(EXT)/55
CV50043	100MM 50(EXT)/50
CV50042	100MM 55(EXT)/45
CV50027	100MM 60(EXT)/40
CV50353	105MM 45(EXT)/60
CV50352	105MM 60(EXT)/45
CV50357	110MM 40(EXT)/70
CV50356	110MM 70(EXT)/40
CV50047	120MM 45(EXT)/75
CV50046	120MM 75(EXT)/45

For KA pairs – Add **KAP** to the product code: Example: **CV50002KAP**

NOTE: 'EXT' denotes external side with sacrificial cut.



A brand of Asec Security

CAVEO[®] PRODUCT LISTING



EURO HALF

CV50350	40MM 30(EXT)/10
CV50333	45MM 35(EXT)/10



KEY BLANK

CV50001	Genuine Key Blank
CV50354	Genuine Metal Head Key Blank



KEY INSERT

CV50318	Red	
CV50319	Blue	
CV50320	Black	
CV50321	Yellow	
CV50322	Green	
CV50335	White	



LUBRICANT

AS12165	Asec Mighty Lube Universal Lubricant With PTFE
----------------	--

The lock must be regularly lubricated with Asec Mighty Lube or similar to maintain guarantee & warranty.

For KA pairs – Add **KAP** to the product code: Example: **CV50002KAP**

NOTE: 'EXT' denotes external side with sacrificial cut.



A brand of Asec Security